

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 July 2010

(For the Period 1 July 2010 to 14 July 2010)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|-------------------------|---|--------------|----------|-----|-----------|-------------|
| M | MIL-PRF-71140A(2) | Cartridge, 25MM: Target Practice with Trace (TP-T), M793 [CUST: AR] | D | 1305 | | AR | 30-JUN-2010 |
| M | MIL-DTL-10057J | Simulator, Hand Grenade - M116A1 [CUST: AR OS 11] [REVIEW: 70 99 AS FAS MC NP] | A | 1370 | | AR | 10-JUN-2010 |
| M | MIL-DTL-10058J | Simulator, Projectile, Ground Burst - M115A2 [CUST: AR OS 11] [REVIEW: 70 99 AS FAS MC NP] | A | 1370 | | AR | 10-JUN-2010 |
| N | MIL-DTL-32357 | High Explosive Material, Melt Castable - Insensitive Munition Explosive (IMX) - 101 [CUST: AR OS 11] [REVIEW: 70 99 AS NP TE] | D | 1376 | | AR | 06-JUL-2010 |
| M | MIL-DTL-82945B | Catapult, Aircraft Ejection Seat, CKU-10/A and CKU-11/A Assemblies [CUST: OS] | A | 1377 | | OS | 06-JUL-2010 |
| M | MIL-DTL-82962H | Cartridges, Impulse, CCU-136/A, CCU-138/A, and CCU-136A/A [CUST: OS] | A | 1377 | | OS | 22-JUN-2010 |
| M | MIL-P-20449C(3) NOT 4 | Primer, Percussion, M61 Parts and Loading, Assembling and Packing [CUST: AR] | A | 1390 | | AR | 05-JUL-2010 |
| M | MIL-PRF-62136B NOT 2 | Wheel and Tire Assemblies, Foam Inflated Low Speed, Highway and Off-Road [CUST: AT 11] [REVIEW: CC] | A | 2530 | | AT | 01-JUL-2010 |
| M | MIL-PRF-62364B NOT 2 | Brake, Electromagnetic, Normally Engaged [CUST: AT CC] | A | 2530 | | AT | 13-JUL-2010 |
| M | MIL-DTL-62366D | Ring Assemblies, Electrical Contact [CUST: AT] | A | 2590 | | AT | 07-JUL-2010 |
| M | MIL-DTL-32169 NOT 1 | Wheel Assemblies, Polyurethane; for the Bradley Fighting Vehicle [CUST: AT AS 99] [REVIEW: 84 CG FAS YD] | A | 2630 | | AT | 13-JUL-2010 |
| M | MIL-PRF-62528B | Regulator, Engine Generator: Solid State 28 Volt, Dual Current Limit, Direct Current [CUST: AT] | A | 2920 | | AT | 14-JUL-2010 |
| M | A-A-55826A | Torches, Oxyacetylene, Hand Held, Cutting and Welding [CUST: AR YD 99 GS] [REVIEW: 84 AV MC] | A | 3433 | / | GS6 | 02-JUL-2010 |
| M | RR-W-410G | Wire Rope and Strand [CUST: SH 99 GS] [REVIEW: YD] | A | 4010 | / | GS5 | 24-JUN-2010 |
| M | QPL-32266 NOT 2 | Wire Rope, 1.5 Inch Diameter, Galvanized, Compacted Strand, for Aircraft Elevator (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information) | A | 4010 | | GS5 | 13-JUL-2010 |
| M | MIL-DTL-81543C | Container Assemblies, Inflatable Life Raft [CUST: AS IS] | A | 4220 | | IS | 14-JUL-2010 |
| M | MIL-DTL-85361A | Carrying Case, Assemblies, Inflatable Life Raft [CUST: AS IS] | A | 4220 | | IS | 14-JUL-2010 |
| N | MIL-DTL-29210/1 | Hose Assembly, Iron, Brass, and CRES Connectors, Rubber, Metal Lined, Wire Reinforced .750 and 1.00 Inch Hose, 250 PSIG, Saturated Steam Service [CUST: AT SH 99 CC] [REVIEW: 71 AR MC SA] | A | 4720 | | CC | 21-JUN-2010 |
| N | MIL-DTL-29210/2 | Hose Assembly, Iron, Brass, and CRES Connectors, Rubber, Metal Lined, Wire Reinforced, 1.250, 1.500, and 2.000 Inch Hose, 250 PSIG, Saturated Steam Service [CUST: AT SH 99 CC] [REVIEW: 71 MC SA] | A | 4720 | | CC | 21-JUN-2010 |
| M | MIL-PRF-62382B NOT 2 | Valve, Hydraulic, Pressure Relief (Metric) [CUST: AT CC] | A | 4820 | | AT | 01-JUL-2010 |
| M | MIL-PRF-52748F NOT 2 | Nozzle, Adapter, Closed-Circuit to Gravity Fill, Standard and Arctic Service [CUST: AT] [REVIEW: AV] | A | 4930 | | AT | 13-JUL-2010 |
| M | A-A-59417B | Thermal Imaging System [CUST: 84] [REVIEW: 99] | A | 5855 | / | 84 | 02-JUL-2010 |
| M | QPL-39005-68 | Resistors, Fixed, Wire-Wound (Accurate), Nonestablished Reliability, Established Reliability, General Specification for | A | 5905 | | CR | 12-JUL-2010 |
| M | MIL-PRF-39003M(1) SUP 1 | Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Established Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CC | 12-JUL-2010 |
| M | MIL-DTL-83731D SUP 1 | Switches, Toggle, Unsealed and Sealed, General Specification for [CUST: CR AS 85 CC] [REVIEW: AR AV EC MC MI] | A | 5930 | | CC | 02-JUL-2010 |
| N | SAE-AS85049/135 | Connector Accessories, Fiber Optic Backshell, Split, Straight, Self-Locking Category 3B for MIL-DTL-38999 Series III and AS5590/1 Connectors [CUST: CR AS 85 CC] | A | 5935 | | AS | 24-JUN-2010 |
| M | MIL-STD-981C | Design, Manufacturing and Quality Standards for Custom Electromagnetic Devices for Space Applications [CUST: 19 CC NA] | A | 5950 | | CC | 01-JUL-2010 |
| M | MIL-PRF-19500/116R(2) | Semiconductor Device, Diode, Silicon, Switching, Types 1N4148-1, 1N4148UR-1, 1N4148UB, 1N4148UBCA, 1N4148UBCC, 1N4148UBCCC, 1N4148UBD, 1N4148UBCD, 1N4148UB2, 1N4148UB2R, 1N914, 1N914UR, 1N4531, and 1N4531UR, JAN, JANTX, JANTXV, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 15-JUL-2010 |
| M | MIL-PRF-19500/118J(1) | Semiconductor Device, Diode, Silicon, Types 1N483B, 1N485B, 1N486B, 1N5194, 1N5194UR, 1N5194US, 1N5195, 1N5195UR, 1N5195US, 1N5196, 1N5196UR, and 1N5196US, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI] | A | 5961 | | CC | 11-JUL-2010 |
| M | MIL-PRF-19500/231M(2) | Semiconductor Device, Diode, Silicon, Switching, Types 1N4150-1, 1N4150UR-1, 1N4150UB, 1N4150UBCA, 1N4150UBCC, 1N4150UBD, and 1N3600, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM] | A | 5961 | | CC | 16-JUL-2010 |
| M | MIL-PRF-19500/337K(2) | Semiconductor Device, Diode, Silicon, Switching, Types 1N4153-1, 1N4153UR-1, 1N4153UB, 1N4153UBCA, 1N4153UBCC, 1N4153UBD, 1N4534, and 1N4534UB, JAN, JANTX, JANTXV, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MI SM] | A | 5961 | | CC | 15-JUL-2010 |
| N | A-A-59812/3 | Holder, Electrical Card, Metal Card Guide, Multiple Piece, with Heat Transfer Housing, Flange Mounting with Two, Three, or Four Mounting Holes for Chassis or Cold Plate Mounting Applications [CUST: CR EC 85 CC] [REVIEW: 99] | A | 5998 | / | CC | 03-JUL-2010 |
| N | A-A-59812/4 | Holder, Electrical Card, Metal Card Guide, Multiple Piece, Flange Mounting with Two, Three, or Four Mounting Holes Chassis or Cold Plate Mounting Applications [CUST: CR EC 85 CC] [REVIEW: 99] | A | 5998 | / | CC | 04-JUL-2010 |
| M | IPC-NC349 | Computer Numerical Control Formatting for Drillers and Routers [CUST: CR EC 85 CC] [REVIEW: AR AS MI OS SH] | A | 5998 | | CC | 24-OCT-1985 |
| M | MIL-PRF-15733J SUP 1 | Filters and Capacitors, Radio Frequency Interference, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH YD] | A | 59GP | | CC | 06-JUL-2010 |
| M | A-A-52316C | Tester, Construction Materials, Moisture & Density (TCMMD) [CUST: CE3] [REVIEW: AT] | A | 6635 | / | CE3 | 05-JUN-2010 |
| N | A-A-59870 | Helium Leak Detector [CUST: 84] [REVIEW: 99] | A | 6635 | / | 84 | 02-JUL-2010 |
| M | MIL-DTL-44411C NOT 1 | Insect Repellent, Permethrin [CUST: GL 68 GS] [REVIEW: 11 MD1 PM] | A | 6840 | | GS3 | 13-JUL-2010 |
| M | MIL-PRF-25567E NOT 2 | Leak Detection Compound, Oxygen Systems [CUST: AV AS 68 GS] [REVIEW: 11 EA MI] | A | 6850 | | GS3 | 13-JUL-2010 |
| M | MIL-DTL-3688D NOT 1 | Wax Emulsion (Rust Inhibiting) [CUST: MR YD 99] [REVIEW: 03 84 AS CG MI OS SH] | A | 8030 | | MR | 13-JUL-2010 |
| M | RR-C-901E | Cylinders, Compressed Gas: Seamless Shatterproof, High Pressure DOT 3AA Steel, and 3AL Aluminum [CUST: EA AS 68 GS] [REVIEW: AI MC MS OS PS] | A | 8120 | / | GS7 | 01-JUL-2010 |
| M | MIL-DTL-3943/78J | Decoration, Meritorious Civilian Service Award, Defense Logistics Agency [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-JUL-2010 |
| M | MIL-DTL-11484/200C | Lapel Button, Meritorious Civilian Service Award, Defense Logistics Agency [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-JUL-2010 |
| M | MIL-DTL-11589/187D | Ribbon, Operations Against West Indian Pirates [CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 07-JUL-2010 |
| M | MIL-DTL-11589/188D | Ribbon, Latin American Campaigns [CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 07-JUL-2010 |
| M | MIL-DTL-11589/189D | Ribbon, Physical Proficiency Award, ROTC, U.S. Army [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-JUL-2010 |
| M | MIL-DTL-11589/190D | Ribbon, Military Proficiency Award, ROTC, U.S. Army [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-JUL-2010 |

15-JUL-2010

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | | | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|---------------------|---|--------------|----------|-----|-----------|-------------|
| | DOCUMENT NUMBER | DOCUMENT TITLE | | | | | |
| M | MIL-DTL-11589/191E | Ribbon, Simultaneous Membership Program (SMP) Activation Award, ROTC, U.S. Army [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-JUL-2010 |
| M | MIL-DTL-11589/192D | Ribbon, Platoon Leadership Award, ROTC, U.S. Army [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-JUL-2010 |
| M | MIL-DTL-11589/199E | Ribbon, Superior Service Award, U.S. Environmental Protection Agency [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-JUN-2010 |
| M | MIL-DTL-11589/200E | Ribbon, Commendable Service Award, U.S Environmental Protection Agency [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-JUN-2010 |
| M | MIL-DTL-11589/201E | Ribbon, Distinguished Career Service Award, U.S. Environmental Protection Agency [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-JUN-2010 |
| M | MIL-DTL-11589/602B | Ribbon, Global War on Terrorism Civilian Service Medal [CUST: IH NU 11] [REVIEW: CT MC] | A | 8455 | | IH | 07-JUL-2010 |
| N | A-A-59872 | Snow and Ice Mobility Kit (SIMK) [CUST: GL CT] | A | 8465 | / | CT | 13-JUL-2010 |
| M | A-A-59197B NOT 1 | Fatty Oil (for Metal-Working Lubricants) [CUST: AR GS] [REVIEW: AV MI] | A | 9150 | / | GS3 | 13-JUL-2010 |
| M | MIL-PRF-47257F | Compound, Epoxy, Filament Winding [CUST: MI] [REVIEW: GS MR] | A | CMPS | | MI | 12-JUL-2010 |
| M | DI-FNCL-80166C | Program Cost and Technical Data Reports [AMSC: N9126] | A | FNCL | | NS | 21-JUN-2010 |
| M | MIL-STD-2361C NOT 1 | Digital Publications Development [CUST: AC MC] [REVIEW: AR AT AV CR EA MI PT TM] | A | IPSC | | AC | 09-JUL-2010 |
| N | DI-MGMT-81824 | Security Classification Guide [AMSC: N9147] | A | MGMT | | AS | 30-JUN-2010 |
| M | MIL-STD-1365C | General Design Criteria for Handling Equipment Associated with Weapons and Related Items [CUST: SM OS 69] [REVIEW: 11 99 AR AS EC MC MI MT SA SH] | A | PACK | | OS | 17-MAY-2010 |
| N | DI-QCIC-81822 | Engineering Judgement Record (EJR) [AMSC: N9145] | A | QCIC | | SH | 30-JUN-2010 |
| N | ANSI-Z535.3 | Criteria for Safety Symbols [CUST: AV SH 99] [REVIEW: 05 11 13 19 33 40 AS CH DC5 DS EC HS MC MD1 MDA MI NP NRO NS PT SE TE TM] | A | SAFT | | SH | 28-JUN-2010 |
| N | ANSI-Z535.6 | Product Safety Information in Product Manuals, Instructions, and Other Collateral Materials [CUST: AV SH 99] [REVIEW: 05 11 13 19 33 40 AS CH DC5 DS EC HS MC MD1 MDA MI NP NRO NS PT SE TE TM] | A | SAFT | | SH | 28-JUN-2010 |
| N | DI-SESS-81823 | Reliability-Centered Maintenance (RCM) Class Maintenance Plan (CMP) [AMSC: N9146] | A | SESS | | SH | 30-JUN-2010 |
| M | SD-1 | Standardization Directory [CUST: AM NM 01 DH DC1] [REVIEW: DA] | A | STDZ | | SO | 01-JUL-2010 |

INACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | | | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|----------------------|---|--------------|----------|-----|-----------|-------------|
| | DOCUMENT NUMBER | DOCUMENT TITLE | | | | | |
| M | MS21122D NOT 1 | Clamp, Loop, Cushioned, Wedge, Polytetrafluoroethylene [CUST: CR4 AS 99] | A | 5340 | | IS | 13-JUL-2010 |
| M | MS51944B | Buckle, Tongueless, I-Bar [CUST: AR 99 IS] [REVIEW: AT AV CR4 EA GL] | A | 5340 | | IS | 30-JUN-2010 |
| M | MIL-DTL-83731/21B | Switches, Toggle, Miniature, Lever Seal, Panel Seal, Four Pole Logic Load to 5 Amperes [CUST: EC 85 CC] | A | 5930 | | CC | 02-JUL-2010 |
| M | MIL-DTL-83731/22C | Switches, Toggle, Miniature, Lever-Lock, Four Pole, Logic Load to 5 Amperes [CUST: EC 85 CC] | A | 5930 | | CC | 02-JUL-2010 |
| M | MIL-DTL-13777K | Cable, Special Purpose, Electrical, General Specification for [CUST: AR AS 85 CC] [REVIEW: 99 AT CR CR4 EC MC MI] | A | 6145 | | CC | 14-JUN-2010 |
| M | MIL-DTL-10866E NOT 1 | Urea, Technical (Metric) [CUST: MD1 OS 11] [REVIEW: AS] | A | 6810 | | GS3 | 15-JUL-2010 |

CANCELED SECTION

ASSIST UPDATE

| LAST ACTION | | | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|------------------------|---|--------------|----------|-----|-----------|-------------|
| | DOCUMENT NUMBER | DOCUMENT TITLE | | | | | |
| M | A-A-59118 NOT 2 | Machining Center, Horizontal, Single Spindle, Computer Numerical Control (CNC) (No S/S Document) [CUST: 99 GS] [REVIEW: 84] | A | 3408 | / | GS6 | 02-JUL-2010 |
| M | MS35252A NOT 2 | Ring, Connecting, Rectangular (No S/S Document) [CUST: GS] | A | 4010 | | GS5 | 07-JUL-2010 |
| M | MIL-B-23071/11B NOT 3 | Blowers: Miniature, for Cooling Electronic Equipment Centrifugal (9.8 Watts Input Power) (No S/S Document) [CUST: CR4 EC 99 IS] [REVIEW: 84 MI] | A | 4140 | | IS | 14-JUL-2010 |
| M | SAE-AMS5053 | Steel Tubing, Welded 0.13 Carbon, Maximum Annealed (No S/S Document) [CUST: CR4 SH 71] | A | 4710 | | 71 | 18-MAY-2010 |
| M | ASTM-C330 | Aggregates, Lightweight, for Structural Concrete (S/S by ASTM-C330/C330M) [CUST: CR4 YD 99 IS] [REVIEW: SH] | A | 5610 | | IS | 14-JUL-2010 |
| M | ASTM-D36 | Bitumen, (Ring-and-Ball Apparatus), Softening Point of (S/S by ASTM-D36/D36M) [CUST: CR4 YD 99 IS] [REVIEW: MC] | A | 5610 | | IS | 14-JUL-2010 |
| M | ASTM-C836 | Membrane, Cold Liquid-Applied Elastomeric Waterproofing, for use with Separate Wearing Course, High Solids Content (S/S ASTM-C836/C836M) [CUST: YD 99 IS] | A | 5680 | | IS | 14-JUL-2010 |
| M | MIL-DTL-3965/24C NOT 1 | Capacitors, Fixed, Electrolytic (Nonsolid Electrolyte), Tantalum, (Polarized, Sintered Slug) - 85 Degrees C (Voltage Derated to 125 Degrees C), Styles CL66 and CL67 (See Notice 1 for Replacement Information) [CUST: CR EC 11 CC] | A | 5910 | | CC | 07-JUL-2010 |
| M | MIL-P-156B(I3) NOT 2 | Potassium Nitrate (No S/S Document) [CUST: AR OS] | A | 6810 | | AR | 06-JUL-2010 |
| M | MIL-C-50709 NOT 2 | Copper-Base Sintered Bars (Oil Impregnated) (S/S by ASTM-B438) [CUST: AR 99] | A | 9530 | | AR | 14-MAY-2010 |